

TRUSTEST SMOKE DETECTOR SENSITIVITY TESTER

SAFETY DATA SHEET

SDS0065UK

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 2015/830

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name TRUSTEST SMOKE DETECTOR SENSITIVITY TESTER
Trade Name AERO 400-XXX (XXX denotes customer variant).
CAS No. Mixture.
EINECS No. Mixture.
REACH Registration No. None assigned.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified use(s) Smoke simulation (for detector sensitivity tester).
Uses advised against None known.

1.3 Details of the supplier of the Safety Data Sheet

Company Identification
Detectortesters (No Climb Products Ltd)
Edison House
163 Dixons Hill Road
Welham Green
Hertfordshire. AL9 7JE.
United Kingdom
Telephone +44 (0) 1707 282760
Fax +44 (0) 1707 282777
E-mail SDS@detectortesters.com

1.4 Emergency telephone number

Company +44 (0) 1707 282760

2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Regulation (EC) No. 1272/2008 (CLP) Aerosol 3; Pressurised container: May burst if heated.
Aquatic Chronic 3; Harmful to aquatic life with long lasting effects.

2.2 Label elements

Hazard pictogram(s) None.
Signal word(s) Warning.
Hazard statement(s) H229: Pressurised container: May burst if heated.
H412: Harmful to aquatic life with long lasting effects.
Precautionary statement(s) P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P251: Do not pierce or burn, even after use.
P273: Avoid release to the environment.
P410+P412: Protect from sunlight. Do not expose to temperatures exceeding 50°C.
Additional Information 18.75 % by mass of the contents are flammable.
Keep out of the reach of children.

2.3 Other hazards

None.

2.4 Additional Information

High concentrations: May cause drowsiness and dizziness.

TRUSTEST SMOKE DETECTOR SENSITIVITY TESTER

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Product as supplied: Aerosol.

3.1 Mixtures

EC Classification No. 1272/2008

Hazardous ingredient(s)	%W/W	CAS No.	EC No.	REACH Registration No.	Hazard pictogram(s) and Hazard statement(s)
1,1,1,2-tetrafluoroethane	80 - 90	811-97-2	212-377-0	None assigned	GHS04, Press. Gas: Liquefied gas; H280
Pentane	1 - 10	109-66-0	203-692-4	None assigned	GHS02, Flam. Liq. 2; H225, GHS07, STOT SE 3; H336, GHS08, Asp. Tox. 1; H304, GHS09, Aquatic Chronic 2; H411, EUH066
Propan-2-ol	1 - 10	67-63-0	200-661-7	01-2119457558-25	GHS02, Flam. Liq. 2; H225, GHS07, Eye Irrit. 2; H319, STOT SE 3; H336

3.2 Additional Information

For full text of H/P statements see section 16.

4. SECTION 4: FIRST AID MEASURES



4.1 Description of first aid measures

Inhalation

If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. If symptoms persist, obtain medical attention.

Skin Contact

Wash skin with soap and water.

Eye Contact

Flush eyes with water for at least 15 minutes while holding eyelids open.

Ingestion

Unlikely route of exposure.

4.2 Most important symptoms and effects, both acute and delayed

None anticipated.

4.3 Indication of any immediate medical attention and special treatment needed

Unlikely to be required but if necessary treat symptomatically.

5. SECTION 5: FIRE-FIGHTING MEASURES

Pressurised container: May burst if heated.

5.1 Extinguishing Media

Suitable Extinguishing Media

Extinguish preferably with dry chemical or alcohol foam.

Unsuitable Extinguishing Media

None known.

5.2 Special hazards arising from the substance or mixture

Decomposes in a fire giving off toxic fumes: Hydrofluoric acid, Fluorinated compounds. Heating may cause pressure rise with risk of bursting.

5.3 Advice for fire-fighters

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. If it is safe to do so, containers should be removed from fire area because they are likely to rupture under fire conditions.

TRUSTEST SMOKE DETECTOR SENSITIVITY TESTER

6. SECTION 6: ACCIDENTAL RELEASE MEASURES

The product is an aerosol. It is unlikely to present spillage or leakage hazard.

- | | |
|--|--|
| 6.1 Personal precautions, protective equipment and emergency procedures | Ensure adequate ventilation. Avoid inhalation of high concentrations of vapours. |
| 6.2 Environmental precautions | Avoid release to the environment. |
| 6.3 Methods and material for containment and cleaning up | Collect mechanically and dispose of according to Section 13. Adsorb spillages onto sand, earth or any suitable adsorbent material. Transfer to a lidded container for disposal or recovery. Containers must not be punctured or destroyed by burning, even when empty. |
| 6.4 Reference to other sections | See Also Section: 8, 13. |

7. SECTION 7: HANDLING AND STORAGE

- | | |
|---|---|
| 7.1 Precautions for safe handling | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not pierce or burn, even after use. Provide adequate ventilation. Avoid inhalation of high concentrations of vapours. |
| 7.2 Conditions for safe storage, including any incompatibilities | Observe official regulations on storing packagings with pressurised containers. |
| Storage Temperature | Protect from sunlight. Do not expose to temperatures exceeding 50°C. |
| Storage Life | Stable under normal conditions. |
| Incompatible materials | Alkali metals, alkaline earth metals, magnesium, powdered metals. |
| 7.3 Specific end use(s) | Smoke simulation (for detector sensitivity tester). |

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

- 8.1 Control parameters**
8.1.1 Occupational Exposure Limits

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m ³)	STEL (ppm)	STEL (mg/m ³)	Note
1,1,1,2-tetrafluoroethane	811-97-2	1000	4240	-	-	WEL
Pentane	109-66-0	600	1800	-	-	WEL
Propan-2-ol	67-63-0	400	999	500	1250	WEL

WEL: Workplace Exposure Limit (UK HSE EH40)

- | | |
|---|-------------------------------|
| 8.1.2 Biological limit value | Not established. |
| 8.1.3 PNECs and DNELs | Not established. |
| 8.2 Exposure controls | |
| 8.2.1 Appropriate engineering controls | Provide adequate ventilation. |
| 8.2.2 Personal protection equipment | |
| Eye/face protection | Not normally required. |



TRUSTEST SMOKE DETECTOR SENSITIVITY TESTER

Skin protection (Hand protection/ Other)



Not normally required.

Respiratory protection



No personal respiratory protective equipment normally required. Handling of larger amounts: In case of insufficient ventilation, wear suitable respiratory equipment. A suitable mask with filter type A (EN14387 or EN405) may be appropriate.

Thermal hazards

Not applicable.

8.2.3 Environmental Exposure Controls

Avoid release to the environment.

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance	Aerosol.
Colour	Colourless.
Odour	Slight hydrocarbon smell.
Odour Threshold	Not applicable.
pH	Not determined.
Melting Point/Freezing Point	Not determined.
Initial boiling point and boiling range	-26.5°C
Flash Point	Not applicable.
Evaporation rate	Not applicable.
Flammability (solid, gas)	Non-flammable.
Upper/lower flammability or explosive limits	Not determined.
Vapour pressure	5.6 bar @ 25 °C
Vapour Density (Air=1)	3.5
Relative density	Not determined.
Density	1070kg/m ³ @ 25 °C
Solubility(ies)	Slightly soluble in: Water. Soluble in most organic solvents.
Partition coefficient: n-octanol/water	Not determined.
Auto-ignition temperature	Not determined.
Decomposition Temperature	Not determined.
Dynamic viscosity	Not determined.
Kinematic Viscosity	Not determined.
Explosive properties	Not explosive. Pressurised container: May burst if heated.
Oxidising properties	Not oxidising.

9.2 Other information

None.

10. SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity	Stable under normal conditions.
10.2 Chemical stability	Stable under normal conditions.
10.3 Possibility of hazardous reactions	No hazardous reactions known if used for its intended purpose.
10.4 Conditions to avoid	Heat and direct sunlight.
10.5 Incompatible materials	Alkali metals, alkaline earth metals, magnesium, powdered metals.
10.6 Hazardous Decomposition Product(s)	No hazardous decomposition products known.

TRUSTEST SMOKE DETECTOR SENSITIVITY TESTER

11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1	Information on toxicological effects	
	Acute toxicity	Low acute toxicity. High concentrations: May cause drowsiness and dizziness.
	Skin corrosion/irritation	Non-irritant.
	Serious eye damage/irritation	Not classified.
	Respiratory or skin sensitization	It is not a skin sensitiser.
	Germ cell mutagenicity	There is no evidence of mutagenic potential.
	Carcinogenicity	No evidence of carcinogenicity.
	Reproductive toxicity	None anticipated.
	STOT - single exposure	Not classified.
	STOT - repeated exposure	Not classified.
	Aspiration hazard	None anticipated.
11.2	Other information	None.

12. SECTION 12: ECOLOGICAL INFORMATION

12.1	Toxicity	Aquatic Chronic 3; Harmful to aquatic life with long lasting effects.
12.2	Persistence and degradability	No information available.
12.3	Bioaccumulative potential	No information available.
12.4	Mobility in soil	Slightly soluble in: Water. The substance is predicted to have low mobility in soil.
12.5	Results of PBT and vPvB assessment	Not classified as PBT or vPvB.
12.6	Other adverse effects	None.





13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1	Waste treatment methods	Recycle only completely emptied packaging. Containers must not be punctured or destroyed by burning, even when empty. Non-emptied aerosol: Dispose of wastes in an approved waste disposal facility. Do NOT landfill.
13.2	Additional Information	Disposal should be in accordance with local, state or national legislation. Do not allow to enter drains, sewers or watercourses.

14. SECTION 14: TRANSPORT INFORMATION

14.1	UN number	
	ADR, IMDG, IATA	UN 1950
14.2	UN Proper Shipping Name	
	ADR	1950 AEROSOLS
	IMDG	AEROSOLS
	IATA	AEROSOLS, Non-flammable
14.3	Transport hazard class(es)/ Division	
	ADR	
	Class / Classification	2 5A Gases.
	Label	2.2
	IMDG, IATA	
	Class / Division	2.2
	Label	2.2
14.4	Packing Group	
	ADR, IMDG, IATA	None.
14.5	Environmental hazards	
	Marine Pollutant	No.

TRUSTEST SMOKE DETECTOR SENSITIVITY TESTER

14.6 Special precautions for user	Warning: Gases.
Kemler Code	-
IMDG EMS	F-D, S-U
14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
14.8 Additional Information	
ADR	
Limited Quantity (LQ)	1 L
	
ADR Transport Category	3
Tunnel Restriction Code	Not applicable in Limited Quantities.
IMDG	
Limited Quantity (LQ)	1 L
	
IATA	
Limited Quantity (LQ)	1 L
	 
UN Model Regulation	UN1950, AEROSOLS, 2.2

15. SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture	
15.1.1 EU regulations	
Authorisations and/or restrictions on use	
Candidate List of Substances of Very High Concern for Authorisation	Not listed.
REACH: ANNEX XVII restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles	Not listed.
REACH: ANNEX XIV list of substances subject to authorisation	Not listed.
Community Rolling Action Plan (CoRAP)	Not listed.
15.1.2 National regulations	None known.
15.2 Chemical Safety Assessment	Not available.

16. SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 10, 11.

LEGEND

LTEL	Long Term Exposure Limit
STEL	Short Term Exposure Limit
DNEL	Derived No Effect Level
PNEC	Predicted No Effect Concentration
PBT	Persistent, Bioaccumulative and Toxic
vPvB	very Persistent and very Bioaccumulative

TRUSTEST SMOKE DETECTOR SENSITIVITY TESTER

ADR	Accord européen relative au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG	International Maritime Code for Dangerous Goods
IATA	International Air Transport Association
CDG	Carriage of Dangerous Goods
Aerosol 3	Aerosol Category 3
Asp. Tox. 1	Aspiration hazard Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment Category 3
Eye Irrit. 2	Serious eye damage/irritation Category 2
Press. Gas	Gases under pressure
Flam. Liq. 2	Flammable Liquid Category 2
STOT SE 3	Specific target organ toxicity — single exposure Category 3

Hazard Statement(s)

H225	Highly flammable liquid and vapour.
H280	Contains gas under pressure; may explode if heated.
H304	May be fatal if swallowed and enters airways.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.

Disclaimers

The information is based on the best knowledge of No Climb Products Ltd. and its advisors and is given in good faith, but we cannot guarantee its accuracy, reliability or completeness and therefore disclaim any liability for loss or damage arising out of use of this data. Since conditions of use are outside the control of the Company and its advisors we disclaim any liability for loss or damage when the product is used for purposes other than it is intended.

Annex to the extended Safety Data Sheet (eSDS)

No information available.